



Passenger Car, SUV and Light Truck
PRODUCT GUIDE | WINTER 2024

TABLE OF CONTENTS


R&D CENTRE EUROPE	3
WINTER TYRE RANGE	4
CORPORATE SOCIAL RESPONSIBILITIES	6
PCR/SUV/4x4	
WinterPro2 evo – The reliable companion for winter adventures	8
WinterPro2 SPORT – Deliveres superb snow performance for exceptional driving pleasure	10
IcePro3 evo – Extreme winter conditions require ultimate performances	12
IcePro SUV3 evo – Extreme winter conditions require ultimate performances	14
VAN	
MAXMILER WT3  – The ideal companion for winter operations	16
MAXMILER WT2 Cargo – The winter tyres for commercial vehicles	18
MAXMILER Ice – Studdable winter tire for multi-purpose vans	20
ALLSEASON	
4Seasons – For different weather conditions all year round	22
MAXMILER AllSeason2  – The all-season van tire with long lasting mileage	24
PATTERN OVERVIEW	26

GLOBAL R&D CENTRES

LOCATION:

- ▲ R&D Centre in China
- ▲ R&D Centre in Indonesia
- ▲ R&D Centre in Chester County, USA
- ▲ R&D Europe Testing Centre in Mira, UK
- ▲ R&D Centre Europe in Hanover, Germany

APART FROM CONDUCTING OUR OWN RESEARCH AND DEVELOPMENT, WE ALSO COLLABORATE WITH LEADING UNIVERSITIES AND RESEARCH INSTITUTES AROUND THE WORLD.



Winter Tire Range



WinterPro2 evo



WinterPro2 Sport

PCR/SUV/4x4



WinterPro2 evo



WinterPro2 Sport



IcePro3 evo



IcePro SUV3 evo

VAN



MAXMILER WT3



MAXMILER WT2
Cargo



MAXMILER Ice

ALLSEASON



4Seasons



MAXMILER
Allseason2



Corporate Social Responsibilities

MISSION & COMMITMENT

Giti Tire endorses the United Nations Sustainable Development Goals (SDGs) and incorporates them into each CSR activity. These goals cover a broad range of social and economic development issues. Included among them are poverty, hunger, health, education, climate change, gender equality, water sanitation, energy, environment, and social justice.



GREEN & EFFICIENT PRODUCTION



UNGC MEMBERSHIP



As part of the United Nations, the UNGC is a highly respected and important global business agreement, that requires a CEO and company commitment to adhering to the Ten Principles of the United Nations, including human rights, labor, environment, and anti-corruption. Giti is proud to join this exclusive and important compact in 2021, and continue to grow with it through an annual Communication on Progress, as well as other commitments.

FURTHER DETAILS ABOUT THE UNITED NATIONS GLOBAL COMPACT CAN BE SEEN ON THEIR WEBSITE HERE



GPSNR MEMBERSHIP



Giti Tire is proud to be a member of GPSNR (Global Platform for Sustainable Natural Rubber), a leading global organization dedicated to maintaining a fair, equitable, and environmentally sound natural rubber value chain. As tires directly relate to the environment, a focus on improving the process of rubber creation, procurement, and supply is very important to reducing societal impact and creating positive offsetting solutions for the industry.

YOU CAN LEARN MORE ABOUT GITI'S ENVIRONMENTAL AND OTHER SUSTAINABLE EFFORTS AT



REDUCE

Thanks to our design approach, our tires are lighter, consume less energy and last longer.

RENEW

We use eco_design materials from renewable resources.



REUSE

Our tires are repairable, regroovable, retreadable.

RECYCLE

We incorporate recycled materials into our new tires.

1 Green Energy

Giti utilizes alternative and clean energy methods, including solar panels to generate green electricity

2 Water Recycling

Continued recycling of water usage at Giti's plants has improved local environments

3 Flue-Gas Desulfurization (FGD)

The desulfurization efficiency rate now exceeds 95%, reducing 190 tons since the previous year

4 Green Certifications

Giti's plants throughout the world have received environmental management certification and passed clean production audits.

WinterPro2 evo

THE RELIABLE COMPANION FOR WINTER ADVENTURES

WinterPro2 evo

RIM	EU SIZE	LI		XL	3PMSF					EPREL
13	155/70R13	75	T	SL	3PMSF	E	C	69	B	1547399
13	155/80R13	79	T	SL	3PMSF	E	C	69	B	1547406
13	165/70R13	79	T	SL	3PMSF	E	C	69	B	1547402
13	175/70R13	82	T	SL	3PMSF	E	C	69	B	1547405
14	155/65R14	75	T	SL	3PMSF	E	C	69	B	1547401
14	165/65R14	79	T	SL	3PMSF	E	C	69	B	1547404
14	165/70R14	81	T	SL	3PMSF	D	C	69	B	1547385
14	175/65R14	82	T	SL	3PMSF	E	B	69	B	1547383
14	175/65R14	86	T	XL	3PMSF	D	B	69	B	1547417
14	175/70R14	84	T	SL	3PMSF	D	C	69	B	1547391
14	185/60R14	82	T	SL	3PMSF	E	B	69	B	1547392
14	185/65R14	86	T	SL	3PMSF	D	B	69	B	1547395
14	185/70R14	88	T	SL	3PMSF	D	B	69	B	1547412
15	175/65R15	84	T	SL	3PMSF	D	B	69	B	1547394
15	185/55R15	82	T	SL	3PMSF	D	B	69	B	1547403
15	185/60R15	84	T	SL	3PMSF	D	B	69	B	1547390
15	185/60R15	88	T	XL	3PMSF	D	B	69	B	1547386
15	185/65R15	88	T	SL	3PMSF	D	B	69	B	1547382
15	195/50R15	82	H	SL	3PMSF	E	B	70	B	1547415
15	195/55R15	85	H	SL	3PMSF	D	B	70	B	1547408
15	195/60R15	88	T	SL	3PMSF	D	B	70	B	1547398
15	195/65R15	91	T	SL	3PMSF	D	B	70	B	1547396
15	195/65R15	91	H	SL	3PMSF	D	B	70	B	1547379
15	195/65R15	95	T	XL	3PMSF	D	B	70	B	1547393
15	205/65R15	94	T	SL	3PMSF	D	B	70	B	1547411
16	195/55R16	91	H	XL	3PMSF	D	B	70	B	1547421
16	195/60R16	89	H	SL	3PMSF	D	B	70	B	1547420
16	205/55R16	91	T	SL	3PMSF	D	B	70	B	1547384
16	205/55R16	91	H	SL	3PMSF	D	B	70	B	1547381
16	205/60R16	92	H	SL	3PMSF	D	B	70	B	1547387
16	205/60R16	96	H	XL	3PMSF	D	B	70	B	1547389
16	215/55R16	93	H	SL	3PMSF	D	B	70	B	1547400
16	215/55R16	97	H	XL	3PMSF	D	B	70	B	1547407
16	215/60R16	99	H	XL	3PMSF	C	B	70	B	1547388
16	215/65R16	98	H	SL	3PMSF	D	B	70	B	1547397
16	215/70R16	100	T	SL	3PMSF	D	B	70	B	1547418
16	215/70R16	100	H	SL	3PMSF	D	B	70	B	1547419
16	225/55R16	99	H	XL	3PMSF	D	B	70	B	1547409
17	205/55R17	95	H	XL	3PMSF	D	B	70	B	1547416
17	215/50R17	95	V	XL	3PMSF	D	B	70	B	1547414
17	215/55R17	98	V	XL	3PMSF	D	B	70	B	1547410
17	235/60R17	106	H	XL	3PMSF	D	B	72	B	1547423
17	235/65R17	108	H	XL	3PMSF	C	B	72	B	1547422
17	245/65R17	111	H	XL	3PMSF	C	B	72	B	1547380

Directional

Handling

Snow Handling

Low Noise

3PFMS

SUV

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency
 Wet Grip Noise Grade Noise Data

Speed: **T-V** Inch: **13-17** Series: **50-80**



WinterPro2 Sport

DELIVERS SUPERB SNOW PERFORMANCE FOR
EXCEPTIONAL DRIVING PLEASURE




WinterPro2 Sport

RIM	EU SIZE	LI		XL	3PMSF					EPREL
17	205/40R17	84	V	XL	3PMSF	D	B	70	B	1547368
17	205/45R17	88	V	XL	3PMSF	D	B	70	B	1547369
17	205/50R17	93	V	XL	3PMSF	D	B	70	B	1547370
17	215/45R17	91	V	XL	3PMSF	D	B	70	B	1547371
17	215/60R17	96	H	SL	3PMSF	C	B	70	B	1547428
17	215/65R17	99	V	SL	3PMSF	D	B	70	B	1547429
17	225/45R17	94	V	XL	3PMSF	D	B	70	B	1547425
17	225/50R17	98	V	XL	3PMSF	D	B	70	B	1547426
17	225/55R17	101	V	XL	3PMSF	C	B	70	B	1547372
17	225/60R17	99	V	SL	3PMSF	C	B	70	B	1547373
17	225/65R17	106	H	XL	3PMSF	C	B	70	B	1547430
17	235/55R17	103	V	XL	3PMSF	C	B	71	B	1547431
18	225/40R18	92	V	XL	3PMSF	D	B	70	B	1547424
18	225/45R18	95	V	XL	3PMSF	D	B	70	B	1547374
18	225/50R18	99	H	XL	3PMSF	C	B	70	B	1573460
18	235/45R18	98	V	XL	3PMSF	D	B	71	B	1547427
18	235/50R18	101	V	XL	3PMSF	C	B	71	B	1573461
18	235/55R18	104	H	XL	3PMSF	C	B	71	B	1547375
18	235/60R18	107	V	XL	3PMSF	C	B	71	B	1547376
18	245/45R18	100	V	XL	3PMSF	C	B	71	B	1547377
19	235/35R19	91	V	XL	3PMSF	E	B	71	B	1612523
19	235/45R19	99	V	XL	3PMSF	C	B	71	B	1547378
19	235/55R19	105	V	XL	3PMSF	C	B	71	B	1547432

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data



WinterPro² Sport Product Performances



Speed: **H-V** Inch: **17-19** Series: **40-65**



IcePro3 evo

EXTREME WINTER CONDITIONS REQUIRE
ULTIMATE PERFORMANCES

IcePro3 evo

RIM	EU SIZE	LI		XL	3PMSF					EPREL
14	175/65R14	86	T	XL	3PMSF	-	-	-	-	-
14	175/70R14	88	T	XL	3PMSF	-	-	-	-	-
14	185/65R14	90	T	XL	3PMSF	-	-	-	-	-
14	185/70R14	92	T	XL	3PMSF	-	-	-	-	-
15	175/65R15	84	T	SL	3PMSF	-	-	-	-	-
15	185/60R15	88	T	XL	3PMSF	-	-	-	-	-
15	185/65R15	88	T	SL	3PMSF	-	-	-	-	-
15	195/60R15	92	T	XL	3PMSF	-	-	-	-	-
15	195/65R15	95	T	XL	3PMSF	-	-	-	-	-
16	205/55R16	94	T	XL	3PMSF	-	-	-	-	-
16	205/60R16	96	T	XL	3PMSF	-	-	-	-	-
16	205/65R16	95	T	SL	3PMSF	-	-	-	-	-
16	205/70R16	97	H	SL	3PMSF	-	-	-	-	-
16	215/55R16	97	T	XL	3PMSF	-	-	-	-	-
16	215/60R16	99	T	XL	3PMSF	-	-	-	-	-
16	215/65R16	98	T	SL	3PMSF	-	-	-	-	-
16	225/60R16	98	T	SL	3PMSF	-	-	-	-	-
17	205/50R17	93	H	XL	3PMSF	-	-	-	-	-
17	215/45R17	91	T	XL	3PMSF	-	-	-	-	-
17	215/50R17	95	T	XL	3PMSF	-	-	-	-	-
17	215/55R17	98	T	XL	3PMSF	-	-	-	-	-
17	215/60R17	96	T	SL	3PMSF	-	-	-	-	-
17	225/45R17	94	T	XL	3PMSF	-	-	-	-	-
17	225/50R17	98	T	XL	3PMSF	-	-	-	-	-
17	225/55R17	101	T	XL	3PMSF	-	-	-	-	-
17	225/60R17	99	T	SL	3PMSF	-	-	-	-	-
17	235/55R17	99	H	SL	3PMSF	-	-	-	-	-
18	215/55R18	95	T	SL	3PMSF	-	-	-	-	-
18	225/40R18	92	H	XL	3PMSF	-	-	-	-	-
18	225/45R18	95	T	XL	3PMSF	-	-	-	-	-
18	225/50R18	95	T	SL	3PMSF	-	-	-	-	-
18	235/45R18	94	T	SL	3PMSF	-	-	-	-	-
18	235/50R18	101	T	XL	3PMSF	-	-	-	-	-
18	235/55R18	100	H	SL	3PMSF	-	-	-	-	-
18	245/45R18	100	T	XL	3PMSF	-	-	-	-	-
18	245/45R18	100	T	XL	3PMSF	-	-	-	-	-

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data



Safe driving on ice roads

FEATURES & BENEFITS

CONTROL ON ICY ROADS
Tailormade direction studs engineered in Finland

SNOW TRACTION
Directional pattern with wide grooves to remove slush & snow

HIGH GRIP LEVEL ON ICE & SNOW
Specialised artic compound

Speed: **T-H** Inch: **14-18** Series: **40-70**



IcePro SUV3 evo

EXTREME WINTER CONDITIONS REQUIRE
ULTIMATE PERFORMANCES



IcePro SUV3 evo

RIM	EU SIZE	LI		XL	3PMSF					EPREL
16	215/70R16	100	T	SL	3PMSF	-	-	-	-	-
16	235/70R16	109	T	XL	3PMSF	-	-	-	-	-
17	215/65R17	99	T	SL	3PMSF	-	-	-	-	-
17	225/65R17	102	T	SL	3PMSF	-	-	-	-	-
17	235/60R17	106	T	XL	3PMSF	-	-	-	-	-
17	235/65R17	108	T	XL	3PMSF	-	-	-	-	-
17	265/70R17	115	T	SL	3PMSF	-	-	-	-	-
18	225/55R18	102	T	XL	3PMSF	-	-	-	-	-
18	225/60R18	104	T	XL	3PMSF	-	-	-	-	-
18	235/60R18	107	T	XL	3PMSF	-	-	-	-	-
18	235/65R18	106	T	SL	3PMSF	-	-	-	-	-
18	245/60R18	105	T	SL	3PMSF	-	-	-	-	-
18	255/65R18	115	T	XL	3PMSF	-	-	-	-	-
18	255/70R18	113	T	SL	3PMSF	-	-	-	-	-
18	265/60R18	110	T	SL	3PMSF	-	-	-	-	-
18	265/65R18	116	T	XL	3PMSF	-	-	-	-	-
18	265/70R18	116	T	SL	3PMSF	-	-	-	-	-
18	275/65R18	116	T	SL	3PMSF	-	-	-	-	-
19	235/55R19	101	T	SL	3PMSF	-	-	-	-	-
20	245/50R20	102	T	SL	3PMSF	-	-	-	-	-
20	275/55R20	117	S	XL	3PMSF	-	-	-	-	-
20	275/60R20	116	T	XL	3PMSF	-	-	-	-	-

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data

Safe driving on ice roads

FEATURES & BENEFITS

CONTROL ON ICY ROADS
Tailormade direction studs engineered in Finland

SNOW TRACTION
Directional pattern with wide grooves to remove slush & snow

HIGH GRIP LEVEL ON ICE & SNOW
Specialised artic compound



Speed:
S-T

Inch:
16-20

Series:
50-70



MAXMILER WT3

THE IDEAL COMPANION FOR WINTER OPERATIONS

MAXMILER WT3

RIM	EU SIZE	LI		3PMSF	PR	EV Ready					EPREL
15	195/70R15C	104/102	T	3PMSF	8PR	YES	C	A	72	B	1958787
15	215/65R15C	104/102	T	3PMSF	6PR	YES	D	A	72	B	1958789
15	215/70R15C	109/107	S	3PMSF	8PR	YES	C	A	72	B	1958791
15	225/70R15C	112/110	S	3PMSF	8PR	YES	C	A	72	B	1958793
16	185/75R16C	104/102	R	3PMSF	8PR	YES	C	A	71	B	1958795
16	195/60R16C	99/97	T	3PMSF	6PR	YES	D	A	72	B	1958797
16	195/65R16C	104/102(100)	R(T)	3PMSF	8PR	YES	C	A	72	B	1958799
16	195/75R16C	110/108	R	3PMSF	10PR	YES	D	A	72	B	1958801
16	205/65R16C	107/105	T	3PMSF	8PR	YES	C	A	72	B	1958803
16	205/75R16C	113/111	R	3PMSF	10PR	YES	D	A	72	B	1958805
16	215/60R16C	103/101	T	3PMSF	6PR	YES	D	A	72	B	1958807
16	215/65R16C	109/107(106)	T(H)	3PMSF	8PR	YES	C	A	72	B	1958809
16	215/75R16C	116/114	R	3PMSF	10PR	YES	D	A	72	B	1958811
16	225/65R16C	112/110	R	3PMSF	8PR	YES	C	A	72	B	1958813
16	225/75R16C	121/120	R	3PMSF	10PR	YES	D	A	72	B	1958815
16	235/65R16C	121/119	R	3PMSF	10PR	YES	C	A	72	B	1958817
17	215/60R17C	109/107(104)	T(H)	3PMSF	8PR	YES	C	A	72	B	1958817
17	225/55R17C	109/107(104)	T(H)	3PMSF	8PR	YES	C	A	72	B	1958819

LI Load Capacity Speed Rating PR Ply rating Fuel Efficiency Wet Grip Noise Grade Noise Data

Grip, Safety and efficient mileage in winter

FEATURES & BENEFITS

- SAFETY ON ALL ROAD CONDITIONS
Deep, wide grooves, zig-zag sipes
- COMFORT AND PEACE OF MIND
Optimised tyre pattern and shape
- PERFORMANCE AND ENDURANCE
New dedicated compound



Speed: **R-H** Inch: **15-17** Series: **55-75**



MAXMILER WT2 Cargo

THE WINTER TYRE FOR COMMERCIAL VEHICLES

MAXMILER WT2 Cargo

RIM	EU SIZE	LI		PR					EPREL
12C	155R12C	88/86	R	8PR	E	C	B	71	898232
14C	165/70R14C	89/87	R	6PR	E	C	B	71	898212
14C	185R14C	102/100	Q	8PR	D	C	B	71	898213
14C	195R14C	106/104	Q	8PR	D	C	B	71	898214
14C	205R14C	109/107	Q	8PR	D	C	B	71	898233
15C	195/70R15C	104/102	R	8PR	D	C	B	71	898215
15C	205/70R15C	106/104	R	8PR	D	C	B	71	898216
15C	205/65R15C	102/100	T	6PR	D	C	B	71	898217
15C	215/70R15C	109/107	R	8PR	C	C	B	71	898218
15C	215/65R15C	104/102	T	6PR	D	C	B	71	898118
15C	225/70R15C	112/110	R	8PR	C	B	B	71	898219
16C	175/75R16C	101/99	R	8PR	D	C	B	71	898234
16C	185/75R16C	104/102	R	8PR	D	C	B	71	898220
16C	195/75R16C	107/105	R	8PR	D	C	B	71	898223
16C	195/65R16C	104/102	T	8PR	D	C	B	71	898222
16C	195/60R16C	99/97	T	6PR	D	C	B	71	898221
16C	205/75R16C	113/111	R	10PR	C	C	B	71	898225
16C	205/65R16C	107/105	T	8PR	C	C	B	71	898224
16C	215/75R16C	116/114	R	10PR	C	C	B	71	898228
16C	215/65R16C	109/107	T	8PR	C	C	B	71	898226
16C	215/60R16C	103/101	T	6PR	D	C	B	71	898227
16C	225/75R16C	121/120	R	10PR	C	B	B	71	898230
16C	225/65R16C	112/110	R	8PR	C	B	B	71	898229
16C	235/65R16C	115/113	R	8PR	C	B	B	71	898231

LI Load Capacity Speed Rating PR Ply rating Fuel Efficiency Wet Grip Noise Grade Noise Data

Grip, Safety and efficient mileage in winter

FEATURES & BENEFITS

- SUPERB HANDLING AND SMOOTH, COMFORTABLE HANDLING**
New profile design
- EXCELLENT WATER DISPLACEMENT AND VERY GOOD GRIP IN WINTER CONDITIONS**
Optimized slats and profile grooves
- EXCELLENT BRAKING PERFORMANCE ON SNOW AND ICE, LONG MILEAGE**
New tread compound



Speed:
Q-T

Inch:
12-16

Series:
60-75



MAXMILER Ice

STUDDABLE WINTER TIRE FOR MULTI-PURPOSE VANS

MAXMILER Ice

RIM	EU SIZE	LI		3PMSF	PR					EPREL
15	195/70R15C	104/102	R	3PMSF	8PR	-	-	-	-	-
16	185/75R16C	104/102	R	3PMSF	8PR	-	-	-	-	-
16	205/65R16C	107/105	T	3PMSF	8PR	-	-	-	-	-
16	215/65R16C	109/107	R	3PMSF	8PR	-	-	-	-	-
16	235/65R16C	121/119	R	3PMSF	10PR	-	-	-	-	-

LI Load Capacity Speed Rating PR Ply rating Fuel Efficiency Wet Grip Noise Grade Noise Data

Maximum stud retention while also delivering long lasting mileage performance

FEATURES & BENEFITS

- SUPERIOR WINTER GRIP AND LONG MILEAGE**
Artic Tread Compound
- EXCELLENT TRACTION IN ICY CONDITIONS**
Optimized stud pattern with up to 130 studs
- ENSURES RESISTANCE TO SNOW AND SLUSH ACCUMULATION**
Self Cleaning Pattern



Speed:
R-T

Inch:
15-16

Series:
65-70

4Seasons

FOR DIFFERENT WEATHER CONDITIONS
ALL YEAR ROUND

4Seasons

RIM	EU SIZE	LI		XL	3PMSF					EPREL
14	155/65R14	75	T	SL	3PMSF	D	B	71	B	1621157
14	165/65R14	79	T	SL	3PMSF	D	B	71	B	1621159
14	165/70R14	85	H	XL	3PMSF	D	B	71	B	898372
14	175/65R14	86	T	XL	3PMSF	C	B	71	B	898317
14	185/60R14	82	H	SL	3PMSF	C	B	71	B	898318
14	185/65R14	86	T	SL	3PMSF	C	B	71	B	898319
15	175/65R15	84	T	SL	3PMSF	C	B	71	B	898320
15	185/55R15	86	H	XL	3PMSF	C	B	71	B	898374
15	185/60R15	88	H	XL	3PMSF	C	B	71	B	898322
15	185/65R15	92	H	XL	3PMSF	C	B	71	B	898373
15	195/50R15	82	H	SL	3PMSF	C	B	72	B	898324
15	195/55R15	85	H	SL	3PMSF	C	B	72	B	898325
15	195/60R15	88	H	SL	3PMSF	C	B	72	B	898326
15	195/65R15	95	V	XL	3PMSF	C	B	72	B	898375
16	195/55R16	91	V	XL	3PMSF	C	B	72	B	898376
16	205/55R16	94	V	XL	3PMSF	C	B	72	B	898329
16	205/60R16	92	H	SL	3PMSF	C	B	72	B	898330
16	215/55R16	97	V	XL	3PMSF	C	B	72	B	898331
16	215/60R16	99	V	XL	3PMSF	C	B	72	B	1621160
16	215/65R16	102	V	XL	3PMSF	C	B	72	B	898336
17	205/45R17	88	V	XL	3PMSF	D	B	72	B	1621161
17	205/50R17	93	W	XL	3PMSF	C	B	72	B	898377
17	215/50R17	95	W	XL	3PMSF	C	B	72	B	1621164
17	215/55R17	98	W	XL	3PMSF	C	B	72	B	1621163
17	215/60R17	96	V	SL	3PMSF	C	B	72	B	898338
17	215/65R17	103	V	XL	3PMSF	B	B	72	B	1621162
17	225/45R17	94	V	XL	3PMSF	C	B	72	B	898333
17	225/50R17	98	V	XL	3PMSF	C	B	72	B	898334
17	225/55R17	101	V	XL	3PMSF	C	B	72	B	898335
17	225/65R17	106	V	XL	3PMSF	B	B	72	B	1621165
17	235/55R17	103	V	XL	3PMSF	C	B	72	B	898337
17	235/65R17	108	V	XL	3PMSF	B	B	72	B	1621166
18	215/55R18	99	V	XL	3PMSF	C	B	72	B	1621167
18	225/40R18	92	Y	XL	3PMSF	D	B	72	B	1621170
18	225/55R18	102	V	XL	3PMSF	B	B	72	B	1621169
18	235/55R18	104	V	XL	3PMSF	C	B	72	B	1621168

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data



Balanced performance

FEATURES & BENEFITS

SAFETY IN CHANGING WEATHER CONDITIONS
Special designed compound which retains the grip characteristics across wide range of temperatures

RELIABLE PERFORMANCE IN WINTER CONDITIONS
Multiple deep sipes ensures firm acceleration and reduced breaking distance

HIGH MILEAGE
All season compound technology

Speed:
T-Y

Inch:
14-18

Series:
40-70





MAXMILER AllSeason2

THE ALL-SEASON VAN TIRE
WITH LONG LASTING MILEAGE



MAXMILER AllSeason2

RIM	EU SIZE	LI		PR	3PMSF					EPREL
15	195/70R15C	104/102	T	8PR	3PMSF	D	A	71	B	1556319
15	215/70R15C	109/107	S	8PR	3PMSF	C	A	71	B	1556321
15	215/65R15C	104/102	T	6PR	3PMSF	D	A	71	B	1556320
15	225/70R15C	112/110	S	8PR	3PMSF	C	A	71	B	1556322
16	195/75R16C	110/108	R	10PR	3PMSF	D	A	71	B	1556324
16	195/65R16C	104/102(100)	R(T)	8PR	3PMSF	D	A	71	B	1556323
16	205/75R16C	113/111	R	10PR	3PMSF	D	A	71	B	1556326
16	205/65R16C	107/105	T	8PR	3PMSF	D	A	71	B	1556325
16	215/75R16C	116/114	R	10PR	3PMSF	D	A	71	B	1556329
16	215/65R16C	109/107	T	8PR	3PMSF	C	A	71	B	1556328
16	215/60R16C	103/101	T	6PR	3PMSF	D	A	71	B	1556327
16	225/75R16C	121/120	R	10PR	3PMSF	D	A	71	B	1556331
16	225/65R16C	112/110	R	8PR	3PMSF	C	A	71	B	1556330
16	235/65R16C	121/119	R	10PR	3PMSF	D	A	71	B	1556318
17	215/60R17C	109/107(104)	T(H)	8PR	3PMSF	C	A	71	B	1556332
17	225/55R17C	109/107(104)	T(H)	8PR	3PMSF	C	A	71	B	1556333

LI Load Capacity Speed Rating PR Ply rating Fuel Efficiency Wet Grip Noise Grade Noise Data

High mileage
throughout the year

FEATURES & BENEFITS

- HIGH MILEAGE**
Wide tread design
- SUITABLE FOR ALL-SEASON USAGE**
Winter certification (3PMSF) and excellent wet label
- HIGH DURABILITY**
Robust tread block design and sidewall protection system



Speed: **R-T** Inch: **15-16** Series: **65-75**



PATTERN OVERVIEW

WINTER ALLSEASON										
RIM	SIZE	WinterPro2 Sport	WinterPro2 evo	IcePro SUV3 evo	IcePro3 evo	4Seasons	MAXMILER WT3	MAXMILER WT2 Cargo	MAXMILER Ice	MAXMILER AllSeason2
20	245/50R20			102T						
	275/55R20			117S						
	275/60R20			116T						
19	235/35R19	91V								
	235/45R19	99V								
	235/55R19	105V		101T						
18	215/55R18				95T	99V				
	225/40R18	92V			92H					
						92Y				
	225/45R18	95V			95T					
					95T					
	225/50R18	99H								
				102T						
	225/60R18			104T		102V				
	235/45R18	98V			94T					
					101T					
	235/50R18	101V			100H					
	235/55R18	104H				104V				
	235/60R18	107V		107T						
	235/65R18			106T						
	245/45R18	100V			100T					
	245/60R18			105T						
	255/65R18			115T						
	255/70R18			113T						
	265/60R18			110T						
	265/65R18			116T						
	265/70R18			116T						
	275/65R18			116T						
17	205/40R17	84V								
	205/45R17	88V				88V				
	205/50R17	93V			93H					
						93W				
	205/55R17		95H							
	215/45R17				91T					

WINTER ALLSEASON										
RIM	SIZE	WinterPro2 Sport	WinterPro2 evo	IcePro SUV3 evo	IcePro3 evo	4Seasons	MAXMILER WT3	MAXMILER WT2 Cargo	MAXMILER Ice	MAXMILER AllSeason2
17	215/45R17	91V			95T					
	215/50R17		95V			95W				
					98T					
	215/55R17		98V			98W				
	215/60R17	96H			96T	96V				
	215/60R17C					103V	109/107(104)T(H)			109/107(104)T(H)
	215/65R17			99T						
		99V								
	225/45R17	94V			94T	94V				
	225/50R17	98V			98T	98V				
	225/55R17	101V			101T	101V				
	225/55R17C						109/107(104)T(H)			109/107(104)T(H)
	225/60R17	99V			99T					
	225/65R17	106H		102T						
						106V				
	235/55R17	103V			99H	103V				
	235/60R17		106H							
			108H	106T						
	235/65R17			108T						
						108V				
	245/65R17		111H							
	265/70R17			115T						
16	175/75R16C							101/99R	104/102R	
	185/75R16C							104/102R	104/102R	
	195/55R16		91H			91V				
	195/60R16		89H							
	195/60R16C						99/97T	99/97T		
	195/65R16C						104/102(100)R(T)			104/102(100)R(T)
								104/102T		
16	195/75R16C							107/105R		
							110/108R			110/108R

PATTERN OVERVIEW

RIM	SIZE	WinterPro2 Sport	WinterPro2 evo	IcePro SUV3 evo	IcePro3 evo	4Seasons	MAXMILER WT3	MAXMILER WT2 Cargo	MAXMILER Ice	MAXMILER AllSeason2	
16	205/55R16		91H								
			91T								
					94T						
	205/60R16		92H			94V					
			96H			92H					
					96T						
	205/65R16				95T						
	205/65R16C						107/105T	107/105T	107/105T	107/105T	
	205/70R16				97H						
	205/75R16C						113/111R	113/111R		113/111R	
	215/55R16		93H								
			97H								
					97T						
	215/60R16					97V					
			99H			99T					
						99V					
	215/60R16C						103/101T	103/101T		103/101T	
	215/65R16					102V					
			98H								
					98T						
	215/65R16C							109/107(106)T(H)			
										109/107R	
									109/107T		109/107T
215/70R16		100H									
		100T	100T								
215/75R16C							116/114R	116/114R		116/114R	
225/55R16		99H									
225/60R16					98T						
225/65R16C							112/110R	112/110R		112/110R	
225/75R16C							121/120R	121/120R		121/120R	
235/65R16C								115/113R			
							121/119R		121/119R	121/119R	
235/70R16			109T								
15	175/65R15		84T		84T	84T					
	185/55R15		82T								
						86H					
	185/60R15		84T								
						88H					
	185/65R15		88T		88T						
			88T		88T						
	195/50R15		82H			92H					
195/55R15		85H			82H						
					85H						

[illegible]



Giti Tire Deutschland GmbH
Hollerithallee 18a
30419 Hannover
Telefon: +49 (0) 511-5153 56-0
Fax: +49 (0) 511-5153 56-10
E-Mail: info@eu.giti.com



DISCLAIMER

The information contained in this catalogue is for general information purposes only. Every effort has been made to ensure the product information provided is accurate and up to date at time of printing. We reserve the right to change ranges, descriptions, modify, or substitute products without notice. Giti cannot be held liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this catalogue.

www.gtradial.eu